


Suction cups / FDA-compliant silicone with ring in silicone foam

VG.LB16F.SF0 bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam
- They enable to compensate for differences in height




Application example




Technical features			
Material	Colour	Hardness	Temperature range
Silicone, FDA SIL	Transparent	50 Shore	-70 + +200 °C


Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.LB16F.50.M5F.E8.SFO	VG.LB16 suction cup, FDA-compliant silicone, 50 Shore, M5 female, 8 mm hex with silicone foam ring	0221745
B	VG.LB16F.50.M5M.E8.SFO	VG.LB16 suction cup, FDA-compliant silicone, 50 Shore, M5 male, 8 mm hex with silicone foam ring	0221747
C	VG.LB16F.50.G18FE13.SFO	VG.LB16 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 13 mm hex with silicone foam ring	0221748
D	VG.LB16F.50.G18M.E13.SFO	VG.LB16 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 13 mm hex with silicone foam ring	0221749



Identification codes			
Drawing	Alphanumeric code	Suction cups	Order code
A	VG.LB16F.50.SFO	VG.LB16 suction cup, FDA-compliant silicone, 50 Shore, with silicone foam ring	0221746



Identification codes			
Drawing	Alphanumeric code	Fittings	Order code
A	FT.M5F.E8	M5 female fitting, 8 mm hex	2321408
B	FT.M5M.E8	M5 male fitting, 8 mm hex	2321410
C	FT.G18FE13	G1/8" female fitting, 13 mm hex	2321412
D	FT.G18M.E13	G1/8" male fitting, 13 mm hex	2321414




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.LB22F.SF0 bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam
- They enable to compensate for differences in height




Application example




Technical features			
Material	Colour	Hardness	Temperature range
Silicone, FDA SIL	Transparent	50 Shore	-70 ÷ +200 °C


Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.LB22F.50.M5F.E8.SFO	VG.LB22 suction cup, FDA-compliant silicone, 50 Shore, M5 female, 8 mm hex with silicone foam ring	0221750
B	VG.LB22F.50.M5M.E8.SFO	VG.LB22 suction cup, FDA-compliant silicone, 50 Shore, M5 male, 8 mm hex with silicone foam ring	0221752
C	VG.LB22F.50.G18F.E13.SFO	VG.LB22 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 13 mm hex with silicone foam ring	0221753
D	VG.LB22F.50.G18M.E13.SFO	VG.LB22 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 13 mm hex with silicone foam ring	0221754



Identification codes			
Drawing	Alphanumeric code	Suction cups	Order code
A	VG.LB22F.50.SFO	VG.LB22 suction cup, FDA-compliant silicone, 50 Shore, with silicone foam ring	0221751



Identification codes			
Drawing	Alphanumeric code	Fittings	Order code
A	FT.M5F.E8	M5 female fitting, 8 mm hex	2321408
B	FT.M5M.E8	M5 male fitting, 8 mm hex	2321410
C	FT.G18F.E13	G1/8" female fitting, 13 mm hex	2321412
D	FT.G18M.E13	G1/8" male fitting, 13 mm hex	2321414




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.LB33F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam
- They enable to compensate for differences in height



Application example




Technical features

Material	Colour	Hardness	Temperature range
Silicone, FDA SIL	Transparent	50 Shore	-70 ÷ +200 °C


Identification codes

Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.LB33F.50.G18F.E12.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 12 mm hex with silicone foam ring	0221757
B	VG.LB33F.50.G18M.E12.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 12 mm hex with silicone foam ring	0221759
C	VG.LB33F.50.G18F.E16.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 16 mm hex with silicone foam ring	0221760
D	VG.LB33F.50.G18M.E16.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 16 mm hex with silicone foam ring	0221761
E	VG.LB33F.50.G14F.E16.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, G1/4" female, 16 mm hex with silicone foam ring	0221762
F	VG.LB33F.50.G14M.E17.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, G1/4" male, 17 mm hex with silicone foam ring	0221763




Identification codes

Drawing	Alphanumeric code	Suction cups	Order code
A	VG.LB33F.50.SFO	VG.LB33 suction cup, FDA-compliant silicone, 50 Shore, with silicone foam ring	221758



Identification codes

Drawing	Alphanumeric code	Fittings	Order code
A	FT.G18FE12	G1/8" female fitting, 12 mm hex	2321422
B	FT.G18ME12	G1/8" male fitting, 12 mm hex	2321424
C	FT.G18FE16	G1/8" female fitting, 16 mm hex	2321426
D	FT.G18ME16	G1/8" male fitting, 16 mm hex	2321428
E	FT.G14FE16	G1/4" female fitting, 16 mm hex	2321430
F	FT.G14ME17	G1/4" male fitting, 17 mm hex	2321432




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.LB42F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam
- They enable to compensate for differences in height



Application example




Technical features

Material	Colour	Hardness	Temperature range
Silicone, FDA SIL	Transparent	50 Shore	-70 ÷ +200 °C


Identification codes

Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.LB42F.50.G18F.E12.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 12 mm hex with silicone foam ring	0221764
B	VG.LB42F.50.G18M.E12.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 12 mm hex with silicone foam ring	0221766
C	VG.LB42F.50.G18F.E16.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 16 mm hex with silicone foam ring	0221767
D	VG.LB42F.50.G18M.E16.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 16 mm hex with silicone foam ring	0221768
E	VG.LB42F.50.G14F.E16.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, G1/4" female, 16 mm hex with silicone foam ring	0221769
F	VG.LB42F.50.G14M.E17.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, G1/4" male, 17 mm hex with silicone foam ring	0221770




Identification codes

Drawing	Alphanumeric code	Suction cups	Order code
A	VG.LB42F.50.SFO	VG.LB42 suction cup, FDA-compliant silicone, 50 Shore, with silicone foam ring	221765



Identification codes

Drawing	Alphanumeric code	Fittings	Order code
A	FT.G18FE12	G1/8" female fitting, 12 mm hex	2321422
B	FT.G18ME12	G1/8" male fitting, 12 mm hex	2321424
C	FT.G18FE16	G1/8" female fitting, 16 mm hex	2321426
D	FT.G18ME16	G1/8" male fitting, 16 mm hex	2321428
E	FT.G14FE16	G1/4" female fitting, 16 mm hex	2321430
F	FT.G14ME17	G1/4" male fitting, 17 mm hex	2321432




Suction cups / FDA-compliant silicone with ring in silicone foam

VG.LB53F.SFO bellows suction cups in FDA-compliant silicone with silicone foam ring

- Ideal to handle uneven and porous surfaces
- High adaptability on rough wood panels, corrugated sheet metal and non-slip sheet metal
- Ring in mark-free silicone foam
- They enable to compensate for differences in height




Application example




Technical features			
Material	Colour	Hardness	Temperature range
Silicone, FDA SIL	Transparent	50 Shore	-70 ÷ +200 °C

Identification codes			
Drawing	Alphanumeric code	Suction cups with fitting	Order code
A	VG.LB53F.50.G18F.E12.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 12 mm hex with silicone foam ring	0221771
B	VG.LB53F.50.G18M.E12.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 12 mm hex with silicone foam ring	0221773
C	VG.LB53F.50.G18F.E16.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" female, 16 mm hex with silicone foam ring	0221774
D	VG.LB53F.50.G18M.E16.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, G1/8" male, 16 mm hex with silicone foam ring	0221775
E	VG.LB53F.50.G14F.E16.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, G1/4" female, 16 mm hex with silicone foam ring	0221776
F	VG.LB53F.50.G14M.E17.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, G1/4" male, 17 mm hex with silicone foam ring	0221777



Identification codes

Drawing	Alphanumeric code	Suction cups	Order code
A	VG.LB53F.50.SFO	VG.LB53 suction cup, FDA-compliant silicone, 50 Shore, with silicone foam ring	221772



Identification codes

Drawing	Alphanumeric code	Fittings	Order code
A	FT.G18FE12	G1/8" female fitting, 12 mm hex	2321422
B	FT.G18ME12	G1/8" male fitting, 12 mm hex	2321424
C	FT.G18FE16	G1/8" female fitting, 16 mm hex	2321426
D	FT.G18ME16	G1/8" male fitting, 16 mm hex	2321428
E	FT.G14FE16	G1/4" female fitting, 16 mm hex	2321430
F	FT.G14ME17	G1/4" male fitting, 17 mm hex	2321432

